	Application No.	Applicant(s)
Notice of Allowability	10/723,722	BHATTACHARYA ET AL.
	Examiner	Art Unit
	Robert J. Hoffberg	2835
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in to other appropriate communates. This application is su	this application. If not included nication will be mailed in due course. THIS
1. This communication is responsive to <u>2/28/07</u> .		
2. X The allowed claim(s) is/are 6,8-10,12-14,16,23,34-36,39 a	<u>nnd 41-46</u> .	
 Acknowledgment is made of a claim for foreign priority u All b)	e been received. e been received in Application	ı No
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDON! THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a MENT of this application.	a reply complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 CORRECTED DRAWINGS (as "replacement sheets") mu (a) including changes required by the Notice of Draftsper 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner Paper No./Mail Date see attached. Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in 	son's Patent Drawing Review 's Amendment / Comment or 1.84(c)) should be written on th the header according to 37 CFF	in the Office action of edrawings in the front (not the back) of R 1.121(d).
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s)	- -	
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	_	ormal Patent Application Immary (PTO-413),
	Paper No./I	Mail Date
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	- .	Amendment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛭 Examiner's	Statement of Reasons for Allowance
or Biological Material	9.	MICHAEL DATSKOVSKIY PRIMARY EXAMINER
	· ·	bull gaffler 03/16/07

Application/Control Number: 10/723,722

Art Unit: 2835

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Nanae Terazaki, Reg. No. L0304 on 3/12/07.

- 2. Claim 41, line 9, change "a vent disposed on an end of a top surface" to --an outlet vent disposed on an end of a first portion of a top surface--.
- 3. Claim 41, line 13, change "vent" to --outlet vent--.
- 4. Claim 41, lines 13-14, delete ", wherein the vent is an outlet vent disposed on a first portion of the top surface of the case".

Drawings

- 5. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the upward flange (claim 43), downward flange (claim 44) and the screen (claim 45) must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.
- 6. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure

Application/Control Number: 10/723,722

Art Unit: 2835

is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

REASONS FOR ALLOWANCE

- 7. The claims 6, 8-10, 12-14, 16, 23, 34-36, 39 and 41-46 are allowable over the prior art of record for at least the reason that the prior art fails to teach or suggest a structure as in claim 41, comprising a board, an integrated circuit, a case, an outlet vent disposed on an end of a first portion of a top surface of the case, a jet actuator, an inlet vent disposed on the end of a second portion of the top surface of the case and at least one partition disposed inside the case to provide a plurality if air flow chambers. The aforementioned limitations in combination with all remaining limitations of the respective claims are believed to render said independent claims 41 and all claims dependent therefrom patentable over art of record.
- 8. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Art Unit: 2835

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

9. None of the cited references, either taken alone or in combination is believed to render the present invention unpatentable as claimed.

Conclusion

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert J. Hoffberg whose telephone number is (571) 272-2761. The examiner can normally be reached on 8:30 AM - 4:30 PM Mon - Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gandhi Jayprakash can be reached on (571) 272-3740. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

RJH PA

MICHAEL DATSKOVSKIY
PRIMARY EXAMINER

level Daffer